

SIZE	MILL	WALL THICKNESS	LBS./ FT.	20 ft.			24 ft.			40 ft.			48 ft.			60 ft.		
				# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL
1½ X 3"	CA/WY	0.188	4.96	15	300	1488	15	360	1786	15	600	2976	-	-	-			
	CA	0.250	6.258	15	300	1877	15	360	2253	15	600	3755	-	-	-			
3 X 2"	CA/WY	0.083	2.7	42	840	2268	42	1008	2722	30	1200	3240	-	-	-			
	CA/WY	0.120	3.76	42	840	3158	42	1008	3790	30	1200	4512	-	-	-			
	CA/WY	0.188	5.59	36	720	4025	36	864	4830	24	960	5366	-	-	-			
	CA/WY	0.250	7.11	30	600	4266	25	600	4266	20	800	5688	-	-	-			
4 X 2"	CA/WY	0.083	3.26	36	720	2347	36	864	2817	24	960	3129	-	-	-			
	CA/WY	0.120	4.57	36	720	3290	36	864	3948	24	960	4387	24	1152	5265			
	CA/WY	0.188	6.86	28	560	3842	28	672	4610	18	720	4939	18	864	5927			
	CA/WY	0.250	8.8	24	480	4224	24	576	5069	12	480	4224	12	576	5069			
4 X 3"	CA/WY	0.120	5.39	30	600	3234	30	720	3881	24	960	5174	24	1152	6209			
	CA/WY	0.188	8.14	24	480	3907	24	576	4689	18	720	5861	18	864	7032			
	CA/WY	0.250	10.5	16	320	3360	16	384	4032	12	480	5040	12	576	6048			
	CA	0.313	12.7	16	INQUIRE		16	INQUIRE		12	INQUIRE		12	576	7315			
	CA	0.375	14.71	16	INQUIRE		16	INQUIRE		12	INQUIRE							
5 X 2"	CA/WY	0.120	5.39	24	480	2587	24	576	3105	12	480	2587	12	576	3105			
	CA/WY	0.188	8.14	24	480	3907	24	576	4689	12	480	3907	12	576	4689			
	CA/WY	0.250	10.5	16	320	3360	16	384	4032	10	400	4200	10	480	5040			
5 X 3"	CA	0.120	6.21	25	500	3105	25	600	3726	25	1000	6210	25	1200	7452	25	1500	9315
	WY	0.125	6.16	25	INQUIRE		16	INQUIRE		16	INQUIRE							
	CA/WY	0.188	9.41	16	320	3011	16	384	3613	16	640	6022	25	768	11292	25	1500	14115
	CA/WY	0.250	12.21	12	240	2930	12	288	3516	12	480	5861	12	576	7033	12	720	8791
	CA/WY	0.313	14.83	9	180	2669	9	216	3203	9	360	5339	9	432	6407	9	540	8008
	CA/WY	0.375	17.27	6	INQUIRE		6	INQUIRE		6	INQUIRE		6	288	4974	6	360	6217
	CA/WY	0.500	21.63	4	INQUIRE		4	INQUIRE		4	INQUIRE		4	INQUIRE		4	INQUIRE	

Continued on next page →

SIZE	MILL	WALL THICKNESS	LBS./ FT.	20 ft.			24 ft.			40 ft.			48 ft.			60 ft.			
				# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	
5 X 4"	WY	0.188	10.70	INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE			
	WY	0.250	13.91	9	180	2503	9	216	3004	9	360	5008	9	432	6009				
	WY	0.375	19.82	6	120	2378	6	144	2854	6	240	4757	6	INQUIRE					
	WY	0.500	25.03	6	120	3003	6	144	3604	6	120	3004	6	INQUIRE					
6 X 2"	CA/WY	0.083	4.359	24	480	2092	24	576	2511	-	-		-	-					
	CA/WY	0.120	6.21	24	480	2981	24	576	3577	12	480	2981	12	576	3577				
	CA/WY	0.188	9.41	24	480	4517	24	576	5420	12	480	4517	12	576	5420				
	CA/WY	0.250	12.2	16	320	3904	16	384	4685	10	400	4880	10	480	5856				
	CA	0.313	14.83	16	320	4746	16	384	5695	10	400	5932	10	480	7118				
	CA	0.375	17.27	9	180	3109	9	216	3730	9	360	6217	9	432	7460				
6 X 3"	CA	0.120	7.02	15	300	2106	15	360	2527	15	600	4212	15	720	5054				
	WY	0.125	7.31	15	300	2193	15	360	2632	15	600	4386	15	720	5263	15	900	6579	
	CA/WY	0.188	10.7	12	240	2568	12	288	3082	12	480	5136	12	576	6163	12	720	7704	
	CA/WY	0.250	13.91	9	180	2504	9	216	3005	9	360	5008	9	432	6009	9	540	7511	
	CA/WY	0.375	19.82	6	120	2378	6	144	2854	6	240	4757	6	288	5708	6	360	7135	
6 X 4"	CA	0.120	7.83	12	240	1879	12	288	2255	12	480	3758	12	576	4510				
	WY	0.125	8.16	12		1958	12		2350	12		3917	12		4700	12	720	5875	
	CA/WY	0.188	11.97	12	240	2873	12	288	3447	12	480	5746	12	576	6895	12	720	8618	
	CA/WY	0.250	15.62	9	180	2812	9	216	3374	9	360	5623	9	432	6748	9	540	8343	
	CA/WY	0.313	19.08	6	120	2290	6	144	2748	6	240	4579	6	288	5495	6	360	6868	
	CA/WY	0.375	22.34	6	120	2681	6	144	3217	6	240	5362	6	288	6434	6	360	8042	
	CA/WY	0.500	28.43	4	80	2274	4	96	2729	4	160	4549	4	192	5459	4	240	6823	
7 X 4"	WY	0.125	9.01	INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE			
	WY	0.188	13.30	INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE			
	WY	0.250	17.32	8	160	2771	8	192	3325	8	320	5542	8	384	6650	8	480	8313	
	WY	0.313	21.22	INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE			
	WY	0.375	24.93	4	80	1994	4	96	2393	4	160	3988	4	192	4786	4	240	5983	
	WY	0.500	9.86	INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE			

Continued on next page →



SIZE	MILL	WALL THICKNESS	LBS./ FT.	20 ft.			24 ft.			40 ft.			48 ft.			60 ft.		
				# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL
7 X 5"	CA/WY	0.188	14.53	9	180	2615	9	192	3138	9	360	5231	9	432	6277	9	540	7846
	CA/WY	0.250	19.02	9	180	3424	9	192	4108	9	360	6847	9	432	8217	9	540	10270
	CA/WY	0.313	23.32	6	120	2798	6	144	3358	6	240	5597	6	288	6716	6	360	8395
	CA/WY	0.375	27.48	6	120	3298	6	144	3957	6	240	6595	6	288	7914	6	360	9892
	CA/WY	0.500	35.24	4	80	2819	4	96	3383	4	160	5638	4	192	6766	4	240	8457
8 X 2"	CA	0.120	7.83	10	200	1566	10	240	1879	10	400	3132	10	480	3758			
	CA	0.188	12	10	200	2400	10	240	2880	10	400	4800	10	480	5760			
	CA	0.250	15.62	8	160	2499	8	192	2999	8	320	4998	8	384	5998			
	CA	0.313	19.1	6	120	2292	6	144	2750	6	240	4584	6	288	5501			
8 X 3"	WY	.125	9.01	10	200	1802	10	240	2162	10	400	3604	10	480	4324	10	600	5406
	WY	.188	13.30	10	200	2660	10	240	3192	10	400	5320	10	480	6384	10	600	7980
	WY	.250	17.32	8	160	2771	8	192	3325	8	320	5542	8	384	6650	8	480	8313
	WY	.313	21.22	8	160	3395	8	192	4074	8	320	6790	8	384	8148	8	480	10185
	WY	.375	24.93	8	160	3988	8	192	4786	8	320	7977	8	384	9573	8	480	11966
8 X 4"	WY	0.125	9.86	8	160	15776	8	192	1893	8	320	3155	8	384	3786	8	480	4732
	CA/WY	0.188	14.53	8	160	2325	8	192	2790	8	320	4650	8	384	5580	8	480	6974
	CA/WY	0.250	19.02	8	160	3043	8	192	3652	8	320	6086	8	384	7304	8	480	9129
	CA/WY	0.313	23.32	6	120	2798	6	144	3358	6	240	5597	6	288	6716	6	360	8395
	CA/WY	0.375	27.48	4	80	2198	4	96	2638	4	160	4397	4	1920	5276	4	240	6595
	CA/WY	0.500	35.24	4	80	2819	4	96	3383	4	160	5638	4	192	6766	4	240	8457
8 X 6"	WY	.125	11.54	6	120	1384	6	144	1661	6	240	2769	6	288	3323	6	360	4154
	WY	.188	17.08	6	120	2049	6	144	2459	6	240	4099	6	288	4919	6	360	6148
	WY	.250	22.42	6	120	2690	6	144	3228	6	240	5380	6	288	6456	6	360	8071
	WY	.313	27.59	6	120	3310	6	144	3972	6	240	6621	6	288	7945	4	240	6621
	WY	.375	32.58	4	80	2606	4	96	3127	4	160	5212	4	192	6255	4	240	7819
	WY	.500	42.05	4	80	3364	4	96	4036	4	160	6728	4	192	8073	2	120	5046

Continued on next page →

SIZE	MILL	WALL THICKNESS	LBS./ FT.	20 ft.			24 ft.			40 ft.			48 ft.			60 ft.		
				# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL
10 X 6"	WY	.188	19.63	6	120	2355	6	144	2826	6	240	4711	6	288	5653	4	240	4711
	WY	.250	25.82	6	120	3098	6	144	3718	6	240	6196	6	288	7436	4	240	6196
	WY	.313	31.84	4	80	2547	4	96	3056	4	160	5094	4	192	6113	4	240	7641
	WY	.375	37.69	4	80	3015	4	96	3618	4	160	6030	4	192	7236	4	240	9045
	WY	.500	48.85	4	80	3908	4	96	4689	4	160	7816	4	192	9379	2	120	5862
10 X 8"	WY	.188	22.18	4	80	1774	4	96	2129	4	160	3548	4	192	4258	4	240	5323
	WY	.250	29.23	4	80	2338	4	96	2806	4	160	4676	4	192	5612	4	240	7015
	WY	.313	36.1	4	80	2888	4	96	3465	4	160	5776	4	192	6931	4	240	8664
	WY	.375	42.79	4	80	3423	4	96	4107	4	160	6846	4	192	8215	4	240	10269
	WY	.500	55.66	4	80	4452	4	96	5343	4	160	8905	4	192	10686	4	240	13358
12 X 4"	WY	.188	19.63	4	80	1570	4	96	1884	4	160	3140	4	192	3768	4	240	4711
	WY	.250	25.82	4	80	2065	4	96	2478	4	160	4131	4	192	4957	4	240	6196
	WY	.313	31.84	4	80	2547	4	96	3056	4	160	5094	4	192	6113	4	240	7641
	WY	.375	37.69	4	80	3015	4	96	3618	4	160	6030	4	192	7236	4	240	9045
	WY	.500	48.85	4	80	3908	4	96	4689	4	160	7816	4	192	9379	2	120	5862
12 X 6"	WY	.188	22.18	4	80	1774	4	96	2129	4	160	3548	4	192	4258	4	240	5323
	WY	.250	29.23	4	80	2338	4	96	2806	4	160	4676	4	192	5612	4	240	7015
	WY	.313	36.1	4	80	2888	4	96	3465	4	160	5776	4	192	6931	4	240	8664
	WY	.375	42.79	4	80	3423	4	96	4107	4	160	6846	4	192	8215	4	240	10269
	WY	.500	55.66	4	80	4452	4	96	5343	4	160	8905	4	192	10686	4	240	13358
12 X 8"	WY	.188	24.73	6	120	2967	6	144	3561	6	240	5935	6	288	7122	4	240	5935
	WY	.250	32.63	4	80	2610	4	96	3132	4	160	5220	4	192	6264	4	240	7831
	WY	.313	40.35	4	80	3228	4	96	3873	4	160	6456	4	192	7747	4	240	9684
	WY	.375	47.90	4	80	3832	4	96	4598	4	160	7664	4	192	9196	2	120	5748
	WY	.500	62.46	2	40	2498	2	48	2998	2	80	4996	2	96	5996	2	120	7495