

SIZE	MILL	WALL THICKNESS	LBS./ FT.	20 ft.			24 ft.			40 ft.			48 ft.			60 ft.		
				# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL
1½ X 1½"	CA/WY	0.188	3.1	49	980	3038	49	1176	3645	49	1960	6076	-	-	-			
	CA	0.250	4.247	49	980	4162	49	1176	4994	-	-	-	-	-	-			
2 X 2"	CA/WY	0.083	2.143	64	1280	2743	64	1536	3291	-	-	-	-	-	-			
	CA/WY	0.120	2.94	56	1120	3292	56	1344	3951	36	1440	4233	-	-	-			
	CA/WY	0.188	4.31	36	720	3103	36	864	3723	25	1000	4310	-	-	-			
	CA/WY	0.250	5.4	36	720	3888	36	864	4665	25	1000	5400	-	-	-			
2½ X 2½"	CA/WY	0.083	2.7	36	720	1944	36	864	2332	-	-	-	-	-	-			
	CA/WY	0.120	3.76	36	720	2707	36	864	3248	25	1000	3760	25	1200	4512			
	CA/WY	0.188	5.59	25	500	2795	25	600	3354	15	600	3354	15	720	4024			
	CA/WY	0.250	7.11	25	500	3555	25	600	4266	15	600	4266	15	720	5119			
2.530"	CA	0.238	7.11	15	300	2133	15	360	2559									
3 X 3"	CA/WY	0.083	3.26	36	720	2347	36	864	2816	-	-	-	-	-	-			
	CA/WY	0.120	4.57	36	720	3290	36	864	3948	25	1000	4570	25	1200	5484			
	CA/WY	0.188	6.86	25	500	3430	25	600	4116	15	600	4116	15	720	4939			
	CA/WY	0.250	8.8	25	500	4400	25	600	5280	12	480	4224	12	576	5069			
3½ X 3½"	CA/WY	0.120	5.39	30	600	3234	30	720	3880	25	1000	5390	25	1200	6468			
	CA/WY	0.188	8.14	25	500	4070	25	600	4884	16	600	5209	16	768	6252			
	CA/WY	0.250	10.5	16	320	3360	16	384	4032	12	480	5040	12	576	6048			
4 X 4"	CA/WY	0.083	4.359	30	600	2615	30	720	3138	25	1000	4359	30	1440	6277			
	CA	0.120	6.21	30	600	3726	30	720	4471	25	1000	6210	25	1200	7452			
	WY	0.125	6.46	25	500	3230	25	600	3876	25	1000	6460	25	1200	7752	25	1500	9690
	CA/WY	0.188	9.42	25	500	4710	25	600	5652	16	640	6028	16	768	7235	16	960	9043
	CA/WY	0.250	12.21	16	320	3907.2	16	384	4688.64	12	480	5860.8	12	576	7033	12	720	8791
	CA/WY	0.313	14.83	9	180	2669.4	9	216	3203.28	9	360	5338.8	9	432	6407	9	640	9491
	CA/WY	0.375	17.27	6	120	2072	6	144	2486	6	240	4144	6	288	4974	6	360	6217
	CA/WY	0.500	21.63	6	120	2595.6	6	144	3114.72	6	240	5191.2	6	288	6229	6	360	7786

Continued on next page →

SIZE	MILL	WALL THICKNESS	LBS./ FT.	20 ft.			24 ft.			40 ft.			48 ft.			60 ft.		
				# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL
5 X 5"	CA	0.120	7.83	12	240	1879	12	288	2255	12	480	3758	12	576	4510			
	WY	0.125	8.16	12	240	1958	12	288	2350	12	480	3916	12	576	4700	12	720	5875
	CA/WY	0.188	11.97	12	240	2872	9	216	2585	12	480	5745	9	432	5171	9	640	7660
	CA/WY	0.250	15.62	9	180	2811	9	216	3373	9	360	5623	9	432	6748	9	640	9996
	CA/WY	0.313	19.08	6	120	2289	6	144	2747	6	240	4579	6	288	5495	6	360	6868
	CA/WY	0.375	22.37	6	120	2684	6	144	3221	6	240	5368	6	288	6443	6	360	8053
	CA/WY	0.500	28.43	4	80	2274	4	96	2729	4	160	4548	4	192	5459	4	240	6823
6 X 6"	CA	0.120	9.48	9	180	1706	9	216	2047	9	360	3412	9	432	4095			
	WY	0.125	9.86	9	180	1774	9	216	2129	9	360	3549	9	432	4260	9	640	6310
	CA/WY	0.188	14.53	9	180	2615	9	216	3138	9	360	5230	9	432	6277	9	640	9299
	CA/WY	0.250	19.02	6	120	2282	6	144	2738	6	240	4564	6	288	5478	6	360	6847
	CA/WY	0.313	23.34	6	120	2800	6	144	3360	6	240	5601	6	288	6722	6	360	8402
	CA/WY	0.375	27.48	6	120	3297	6	144	3957	6	240	6595	6	288	7914	6	360	9892
	CA/WY	0.500	35.24	4	80	2819	4	96	3383	4	160	5638	4	192	6766	4	240	8457
7 X 7"	WY	0.125	11.54	6	120	1384	6	144	1661	6	240	2769	6	288	3323	6	360	4154
	WY	0.188	17.08	6	120	2049	6	144	2459	6	240	4099	6	288	4919	6	360	6148
	WY	0.250	22.42	6	120	2690	6	144	3228	6	240	5380	6	288	6456	6	360	8071
	WY	0.313	27.59	6	120	3310	6	144	3872	6	240	6621	6	288	7945	6	360	9932
	WY	0.375	32.58	6	120	3909	6	144	4691	6	240	7819	6	288	9383	6	360	11728
	WY	0.500	42.05	4	80	3364	4	96	4036	4	160	6728	4	192	8073	4	240	10092
8 X 8"	WY	0.125	13.27	6	INQUIRE		6	INQUIRE		6	INQUIRE		6	INQUIRE		6	INQUIRE	
	WY	0.188	19.63	6	120	2355	6	144	2826	6	240	4711	6	288	5653	6	360	7066
	WY	0.250	25.82	6	120	3098	6	144	3718	6	240	6196	6	288	7436	6	360	9295
	WY	0.313	31.84	4	80	2547	4	96	3056	4	160	5094	4	192	6113	4	240	7641
	WY	0.375	37.69	4	80	3015	4	96	3618	4	160	6030	4	192	7236	4	240	9045
	WY	0.500	48.85	4	80	3908	4	96	4689	4	160	7816	4	192	9379	2	120	5862

Continued on next page →

SIZE	MILL	WALL THICKNESS	LBS./ FT.	20 ft.			24 ft.			40 ft.			48 ft.			60 ft.		
				# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL
9 X 9"	WY	0.125	14.96	INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE		
	WY	0.188	22.18	INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE		
	WY	0.250	29.23	INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE		
	WY	0.313	36.1	INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE		
	WY	0.375	42.79	INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE		
	WY	0.500	55.66	INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE		
10x10"	WY	0.188	24.73	4	80	2967	4	96	2374	4	160	3956	4	192	4748	4	240	5935
	WY	0.250	32.63	4	80	3915	4	96	3132	4	160	5220	4	192	6264	4	240	7831
	WY	0.313	40.35	4	80	4842	4	96	3873	4	160	6456	4	192	7747	4	240	9684
	WY	0.375	47.90	4	80	5748	4	96	4598	4	160	7664	4	192	9196	2	120	5748
	WY	0.500	62.46	2	40	2498	2	48	2998	2	80	4996	2	96	5996	2	120	7495