

SIZE	MILL	WALL THICKNESS	LBS./ FT.	20 FT.			24 FT.			40 FT.			48 FT.			60 FT.		
				# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL
1" X 2"	CA/WY	0.120	2.249	64	1280	2878	64	1536	3454									
	WY	0.188	3.10	36	720	2231	36	864	2678									
1" X 3"	WY	0.188	4.31	36	720	3103	36	864	3728									
1½" X 2½"	WY	.0188	4.21	48	960	4041	48	1152	4850									
	WY	0.250	5.4	48	960	5184	48	1152	6220									
1½" X 3"	CA/WY	0.120	3.531	48	960	3389	48	1152	4067	48	1920	6779						
	CA/WY	0.188	4.96	15	300	1488	15	360	1786	15	600	2976						
	CA/WY	0.250	6.258	15	300	1877	15	360	2253	15	600	3755						
3" X 2"	CA/WY	0.083	2.7	42	840	2268	42	1008	2722	30	1200	3240	30	1440	3888			
	CA/WY	0.120	3.76	42	840	3158	42	1008	3790	30	1200	4512	30	1440	5414			
	CA/WY	0.188	5.59	36	720	4025	36	864	4830	24	960	5366	24	1152	6440			
	CA/WY	0.250	7.11	30	600	4266	25	600	4266	20	800	5688	20	960	6826			
3½" X 2½"	WY	0.125	4.75	25	500	2375	25	600	2850	25	1000	4750						
	WY	0.188	6.86	25	500	3430	25	600	4116	25	1000	6860						
4" X 2"	CA/WY	0.083	3.26	36	720	2347	36	864	704	36	1440	1174	36	1728	1408			
	CA/WY	0.120	4.57	36	720	3290	36	864	3934	24	960	4387	24	1152	5264			
	CA/WY	0.188	6.86	28	560	3841	28	672	4609	18	720	4939	18	864	5928			
	CA/WY	0.250	8.8	24	480	4224	24	576	5068	12	480	4224	12	576	5068			
	CA	0.313	10.59	9	180	1906	9	216	2287	9	360	3812	9	432	4575			
	CA	0.375	12.17	9	180	2190	9	216	2628	9	360	4381	9	432	5257			
4" X 3"	CA/WY	0.120	5.39	30	600	3234	30	720	3881	24	860	5174	24	1152	6209			
	CA/WY	0.188	8.14	24	480	3907	24	576	4689	18	720	5861	18	864	7032			
	CA/WY	0.250	10.5	16	320	3360	16	384	4032	12	480	5040	12	576	6048			
	CA/WY	0.313	12.7	16	320	4064	16	384	4877	12	480	6096	12	576	7315			
5" X 2"	CA/WY	0.120	5.39	24	480	2587	24	576	3105	12	480	2587	12	576	3105			
	CA/WY	0.188	8.14	24	480	3907	24	576	4689	12	480	3907	12	576	4689			
	CA/WY	0.250	10.5	16	320	3360	16	384	4032	10	400	4200	10	480	5040			

Continued on next page →

SIZE	MILL	WALL THICKNESS	LBS./ FT.	20 FT.			24 FT.			40 FT.			48 FT.			60 FT.		
				# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL
5" X 3"	CA/WY	0.120	6.21	25	500	3105	25	600	3726	25	1000	6210	25	1200	7452	25	1500	9315
	CA/WY	0.125	6.46	25	500	3230	25	600	3876	25	1000	6460	25	1200	7752	25	1500	9690
	CA/WY	0.188	9.41	16	320	3011	16	384	3613	16	640	6022	16	768	7226	16	960	9033
	CA/WY	0.250	12.21	12	240	2930	12	288	3516	12	480	5861	12	576	7033	12	720	8791
	CA/WY	0.313	14.83	9	180	2669	9	216	3203	9	360	5339	9	432	6407	9	540	8008
	CA/WY	0.375	17.27	6	120	2072	6	144	2487	6	240	4145	6	288	4974	6	360	6217
	CA/WY	0.500	21.63	4	80	1730	4	96	2076	4	160	3461	4	192	4153	4	240	5191
5" X 4"	WY	0.188	10.7	9	180	1926	9	216	2311	9	360	3852	9	432	4622	9	540	5778
	WY	0.250	13.91	9	180	2503	9	216	3004	9	360	5008	9	432	6009	9	540	7511
	WY	0.375	19.82	6	120	2378	6	144	2854	6	240	4757	6	288	5708	6	360	7135
	WY	0.500	25.03	6	120	3003	6	144	3604	6	240	6007	6	288	7208	6	360	9010
6" X 2"	CA/WY	0.083	4.359	24	480	2092	24	576	2511									
	CA/WY	0.120	6.21	24	480	2981	24	576	3577	12	480	2981	12	576	3577	12	720	4471
	CA/WY	0.188	9.41	24	480	4517	24	576	5420	12	480	4517	12	576	5420	12	720	6775
	CA/WY	0.250	12.2	16	320	3904	16	384	4685	10	400	4880	10	480	5856	10	600	7320
	CA/WY	0.313	14.83	16	320	4746	16	384	5695	10	400	5932	10	480	7118	10	600	8898
	CA/WY	0.375	17.27	9	180	3109	9	216	3730	9	360	6217	9	432	7460	9	540	9325
6" X 3"	CA/WY	0.120	7.02	15	300	2106	15	360	2527	15	600	4212	15	720	5054	15	900	6318
	CA/WY	0.125	7.31	15	300	2193	15	360	2632	15	600	4386	15	720	5363	15	900	6579
	CA/WY	0.188	10.7	12	240	2568	12	288	3082	12	480	5136	12	576	6163	12	720	7704
	CA/WY	0.250	13.91	9	180	2504	9	216	3005	9	360	5008	9	432	6009	9	540	7511
	CA/WY	0.375	19.82	6	120	2378	6	144	2854	6	240	4757	6	288	5708	6	360	7135
6" X 4"	CA/WY	0.120	7.83	12	240	1879	12	288	2255	12	480	3758	12	576	4510	12	720	5637
	CA/WY	0.125	8.16	12	240	1958	12	288	2350	12	480	3917	12	576	4700	12	720	5875
	CA/WY	0.188	11.97	12	240	2873	12	288	3447	12	480	5746	12	576	6895	12	720	8618
	CA/WY	0.250	15.62	9	180	2812	9	216	3374	9	360	5623	9	432	6748	9	540	8343
	CA/WY	0.313	19.08	6	120	2290	6	144	2748	6	240	4579	6	288	5495	6	360	6868
	CA/WY	0.375	22.34	6	120	2671	6	144	3217	6	240	5362	6	288	6434	6	360	8042
	CA/WY	0.500	28.43	4	80	2274	4	96	2729	4	160	4549	4	192	5459	4	240	6823

Continued on next page →



SIZE	MILL	WALL THICKNESS	LBS./ FT.	20 FT.			24 FT.			40 FT.			48 FT.			60 FT.		
				# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL
6" X 5"	WY	0.125	8.695	9	180	1565	9	216	1878	9	360	3130	9	432	3756	9	540	4695
	WY	0.188	13.25	9	180	2385	9	216	2862	9	360	4770	9	432	5724	9	540	7155
	WY	0.250	17.32	9	180	3117	9	216	3741	9	360	6235	9	432	7482	9	540	9352
	WY	0.313	21.21	6	120	2542	6	144	3054	6	240	5088	6	288	6109	6	360	7635
	WY	0.375	24.93	6	120	2991	6	144	3590	6	240	5983	6	288	7180	6	360	8974
	WY	0.500	31.81	4	80	2544	4	96	3054	4	160	5089	4	192	6107	4	240	7634
7" X 3"	WY	0.125	7.961		INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE	
	WY	0.188	11.97		INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE	
	WY	0.250	15.62		INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE	
	WY	0.313	19.08		INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE	
	WY	0.375	22.37		INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE	
	WY	0.500	28.43		INQUIRE			INQUIRE			INQUIRE			INQUIRE			INQUIRE	
7" X 4"	WY	0.188	13.25	9	180	2385	9	216	2862	9	360	4770	9	432	7584	9	540	7155
	WY	0.250	17.32	9	180	3117	9	216	2741	9	360	6235	9	432	7482	9	540	9352
	WY	0.313	21.22	9	180	3820	6	144	2055	6	240	5092	6	288	6111	6	360	7639
	WY	0.375	24.93	6	120	2991	6	144	3590	6	240	5983	6	288	7180	6	360	8964
	WY	0.500	31.81	4	80	2544	4	96	3053	4	160	5089	4	192	6107	4	240	7634
7" X 5"	CA/WY	0.188	14.53	9	180	2615	9	192	3138	9	360	5231	9	432	6277	9	540	7846
	CA/WY	0.250	19.02	9	180	3424	9	192	4108	9	360	6847	9	432	8217	9	540	10270
	CA/WY	0.313	23.32	6	120	2798	6	144	3358	6	240	5597	6	288	6716	6	360	8395
	CA/WY	0.375	27.48	6	120	3298	6	144	3957	6	240	6595	6	288	7914	6	360	9892
	CA/WY	0.500	35.24	4	80	2819	4	96	3383	4	460	5638	4	192	6766	4	240	8457
8" X 2"	CA	0.120	7.83	10	200	1566	10	240	1879	10	400	3132	10	480	3758			
	CA	0.188	12.00	10	200	2400	10	240	2880	10	400	4800	10	480	5760			
	CA	0.250	15.62	8	160	2499	8	192	2999	8	320	4998	8	384	5998			
	CA	0.313	19.1	6	120	2292	6	144	2750	6	240	4584	6	288	5501			

Continued on next page →

SIZE	MILL	WALL THICKNESS	LBS./ FT.	20 FT.			24 FT.			40 FT.			48 FT.			60 FT.		
				# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL
8" X 3"	CA/WY	0.125	9.01	10	200	1802	10	240	2162	10	400	3604	10	480	4324	10	600	5406
	WY	0.188	13.3	10	200	2660	10	240	3192	10	400	5320	10	480	6384	10	600	7980
	WY	0.250	17.32	8	160	2771	8	192	3325	8	320	5542	8	384	6650	8	480	8313
	WY	0.313	21.22	8	160	3395	8	192	4074	8	320	6790	8	384	8148	8	480	10185
	WY	0.375	24.93	8	160	3988	8	192	4786	8	320	7977	8	384	9473	8	480	11966
	WY	0.500	31.81	4	80	2545	4	96	3053	4	160	5089	4	192	6107	4	240	7634
8" X 4"	CA/WY	0.125	9.86	8	160	1577	8	192	1893	8	320	3155	8	384	3786	8	480	4732
	CA/WY	0.188	14.53	8	160	2324	8	192	2790	8	320	4650	8	384	5580	8	480	6974
	CA/WY	0.250	19.02	8	160	3043	8	192	3651	8	320	6086	8	384	7304	8	480	9130
	CA/WY	0.313	23.32	6	120	2798	6	144	3358	6	240	5596	6	288	6716	6	360	8395
	CA/WY	0.375	27.48	4	80	2198	4	96	2638	4	160	4396	4	192	5276	4	240	6595
	CA/WY	0.500	35.24	4	80	2820	4	96	3383	4	160	5638	4	192	6766	4	240	8457
8" X 6"	WY	0.125	11.54	6	120	1384	6	144	1661	6	240	2769	4	288	3323	6	360	4154
	WY	0.188	17.08	6	120	2049	6	144	2459	6	240	4099	6	288	4919	6	360	6148
	WY	0.250	22.42	6	120	2690	6	144	3228	6	240	5380	6	288	6456	6	360	8071
	WY	0.313	27.59	6	120	3310	6	144	3972	6	240	6621	6	288	7945	4	240	6621
	WY	0.375	32.58	4	80	2606	4	96	3127	4	160	5212	4	192	6255	4	240	7819
	WY	0.500	42.05	4	80	3364	4	96	4036	4	160	6728	4	192	8073	2	120	5046
10" X 4"	WY	0.188	17.08	8	160	2733	8	192	3279	8	320	5466	8	384	6559	4	240	4099
	WY	0.250	22.42	6	120	2690	6	144	3228	6	240	5381	6	288	6457	4	240	6622
	WY	0.313	27.59	6	120	3311	6	144	3973	6	240	6622	6	288	7946	4	240	6622
	WY	0.375	32.58	4	80	2606	4	86	3127	4	160	5212	4	192	6255	4	240	7819
	WY	0.500	42.05	4	80	3364	4	96	4036	4	160	6728	4	192	8073	2	120	5046
9" X 7"	WY	0.188	13.27	6	120	1592	6	144	1910	6	240	3184	6	288	3821	6	360	4777
	WY	0.250	19.63	6	120	2355	6	144	2826	6	240	4711	6	288	5653	6	360	7066
	WY	0.313	31.84	6	120	3820	6	144	4584	6	240	7641	6	288	9169	6	360	11462
	WY	0.375	37.69	4	80	3015	4	96	3618	4	160	6030	4	192	7236	4	240	9045
	WY	0.500	48.85	4	80	3908	4	96	4689	4	160	7816	4	192	9379	4	240	11724

Continued on next page →



SIZE	MILL	WALL THICKNESS	LBS./ FT.	20 FT.			24 FT.			40 FT.			48 FT.			60 FT.		
				# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL	# OF PCS.	FT. PER BUNDLE	LBS/ BDL
10" X 6"	WY	0.188	19.63	6	120	2355	6	144	2826	6	240	4711	6	288	5653	4	240	4711
	WY	0.250	25.82	6	120	3098	6	144	3718	6	240	6196	6	288	7436	4	240	6196
	WY	0.313	31.84	4	80	2547	4	96	3056	4	160	5094	4	192	6113	4	240	7641
	WY	0.375	37.69	4	80	3015	4	96	3618	4	160	6030	4	192	7236	4	240	9045
	WY	0.500	48.85	4	80	3908	4	96	4689	4	160	7816	4	192	9379	2	120	5862
10" X 8"	WY	0.188	22.18	4	80	1774	4	86	2129	4	160	3548	4	192	4258	4	240	5323
	WY	0.250	29.23	4	80	2338	4	96	2806	4	160	4676	4	192	4612	4	240	7015
	WY	0.313	36.1	4	80	2888	4	96	3465	4	160	5776	4	192	6931	4	240	8664
	WY	0.375	42.79	4	80	3423	4	96	4107	4	160	6846	4	192	8215	4	240	10269
	WY	0.500	55.66	4	80	4452	4	96	5343	4	160	8905	4	192	10686	4	240	13358
12" X 4"	WY	0.188	19.63	4	80	1570	4	86	1884	4	160	3140	4	192	3768	4	240	4711
	WY	0.250	25.82	4	80	2085	4	96	2478	4	160	4131	4	192	4957	4	240	6196
	WY	0.313	31.84	4	80	2547	4	96	3056	4	160	5094	4	192	6113	4	240	7641
	WY	0.375	37.69	4	80	3015	4	96	3618	4	160	6030	4	192	7326	4	240	9045
	WY	0.500	48.85	4	80	3908	4	96	4689	4	160	7816	4	192	9379	2	120	5862
12" X 6"	WY	0.188	22.18	4	80	1774	4	96	2129	4	160	3548	4	192	4358	4	240	5323
	WY	0.250	29.23	4	80	2338	4	96	2806	4	160	4676	4	192	5612	4	240	7015
	WY	0.313	36.1	4	80	2888	4	96	3465	4	160	5776	4	192	6931	4	240	8664
	WY	0.375	42.79	4	80	3423	4	96	4107	4	160	6846	4	192	8215	4	240	10269
	WY	0.500	55.66	4	80	4452	4	96	5343	4	160	8905	4	192	10686	4	240	13358
12" X 8"	WY	0.188	24.73	6	120	2967	6	144	3561	6	240	5935	6	288	7122	4	240	5935
	WY	0.250	32.63	4	80	2610	4	96	3132	4	160	5220	4	192	6264	4	240	7831
	WY	0.313	40.35	4	80	3228	4	96	3873	4	160	6456	4	192	7747	4	240	9684
	WY	0.375	47.9	4	80	3832	4	96	4598	4	160	7664	4	192	9196	2	120	5748
	WY	0.500	62.46	2	40	2498	2	48	2998	2	80	4996	2	96	5996	2	120	7495