

ROUND SIZE	MILL	WALL THICKNESS	LBS./FT	# OF PCS.	20 FT.	24 FT.
					LBS/BDL	LBS/BDL
1/2"	CA	18	0.236	200	944	1132
	CA	0.065	0.302	200	1208	1449
5/8"	CA	20	0.221	217	959	1151
	CA	19	0.262	217	1137	1364
	CA	18	0.301	217	1306	1568
	CA	16	0.362	217	1571	1885
	CA/WY	20	0.267	150	801	961
3/4"	CA/WY	19	0.318	150	954	1145
	CA/WY	18	0.367	150	1101	1321
	CA/WY	16	0.442	150	1326	1591
	CA/WY	14	0.541	150	1623	1948
	CA/WY	20	0.315	150	942	1130
7/8"	CA/WY	19	0.374	150	1122	1346
	CA/WY	18	0.432	150	1296	1555
	CA/WY	16	0.522	150	1566	1879
	CA/WY	14	0.641	150	1923	2308
	CA/WY	0.083	0.702	150	2106	2527
	CA	13	0.756	150	2268	2722
1"	CA/WY	20	0.361	127	917	1100
	CA/WY	19	0.43	127	1092	1311
	CA/WY	18	0.498	127	1265	1518
	CA/WY	16	0.602	127	1529	1835
	CA/WY	14	0.741	127	1881	2259
	CA/WY	0.083	0.813	127	2065	2478
	CA/WY	13	0.875	127	2223	2667
	CA/WY	0.109	1.038	127	2636	3163
	CA/WY	11	1.128	127	2865	3438
	CA	0.095	0.949	127	2410	2893
1.030"	CA/WY	14	0.781	127	1984	2380
	CA/WY	0.083	0.857	127	2177	2612
	CA/WY	100	1.096	127	2784	3341
1 1/8"	CA	18	0.563	91	1025	1230
	CA	16	0.682	91	1241	1489

ROUND SIZE	MILL	WALL THICKNESS	LBS./FT	# OF PCS.	20 FT.	24 FT.
					LBS/BDL	LBS/BDL
1 1/4"	CA/WY	20	0.454	91	826	992
	CA/WY	18	0.629	91	1145	1374
	CA/WY	16	0.763	91	1389	1666
	CA/WY	14	0.941	91	1713	2055
	CA/WY	0.083	1.034	91	1882	2258
	CA/WY	13	1.115	91	2029	2435
	CA/WY	11	1.448	91	2635	3162
	CA/WY	18	0.661	91	1203	1444
1.312"	CA/WY	16	0.803	91	1461	1754
	CA/WY	14	0.991	91	1804	2164
	CA/WY	0.120	1.528	91	2791	3337
	CA	18	0.694	91	1263	1516
1 3/8"	CA	16	0.843	91	1534	1841
	CA	14	1.041	91	1895	2274
	CA	14	1.091	91	1986	2383
1 1/2"	CA/WY	20	0.548	91	997	1197
	CA/WY	18	0.759	91	1381	1658
	CA/WY	16	0.923	91	1680	2016
	CA/WY	14	1.141	91	2077	2492
	CA/WY	0.083	1.256	91	2286	2743
	CA/WY	13	1.355	91	2466	2959
	CA/WY	0.109	1.62	91	2948	3530
	CA/WY	0.120	1.769	91	3220	3863
1 5/8"	CA	20	0.594	91	1081	1297
	CA	18	0.825	91	1502	1802
	CA	16	1.003	91	1825	2191
	CA	14	1.242	91	2260	2713
	CA	13	1.475	91	2685	3221
	CA	0.120	1.929	91	3511	4213
1.690"	CA	13	1.538	75	2307	2768

Continued on next page →

ROUND SIZE	MILL	WALL THICKNESS	LBS./FT	# OF PCS.	20 FT.	24 FT.
					LBS/BDL	LBS/BDL
1 3/4"	CA	18	0.89	91	1620	1944
	CA	16	1.083	91	1971	2365
	CA	14	1.342	91	2442	2931
	CA	0.083	1.475	91	2685	3221
	CA	13	1.596	91	2905	3486
	CA	0.120	2.089	61	2549	3058
1 7/8"	CA	18	0.956	61	1166	1400
	CA	16	1.164	61	1420	1704
1.900"	CA	16	1.179	91	2146	2575
	CA	13	1.74	91	3167	3800
	CA	0.120	2.282	91	4153	4984
2"	CA	18	1.021	91	1858	2230
	CA	16	1.243	91	2262	2715
	CA	14	1.542	91	2806	3368
	CA	0.083	1.699	91	3092	3711
	CA	13	1.836	91	3342	4010
	CA	0.120	2.409	91	4384	5261
2 1/8"	CA	18	1.086	61	1325	1590
	CA	16	1.323	61	1614	1937
2 1/4"	CA	18	1.152	61	1405	1687
	CA	16	1.403	61	1712	2054
	CA	14	1.74	61	2123	2547
	CA	0.083	1.921	61	2344	2812
	CA	13	2.186	61	2667	3200
	CA	0.120	2.73	61	3331	3997
2 3/8"	CA	16	1.485	44	1307	1568
2 1/2"	CA	18	1.283	44	1129	1355
	CA	16	1.564	44	1376	1652
	CA	14	1.942	44	1709	2051
	CA	0.083	2.143	44	1886	2263
	CA	0.120	3.051	44	2685	3222
2 5/8"	CA	18	1.3	44	1144	1373
	CA	16	1.779	44	1566	1879

ROUND SIZE	MILL	WALL THICKNESS	LBS./FT	# OF PCS.	20 FT.	24 FT.
					LBS/BDL	LBS/BDL
3"	CA	18	1.544	37	1143	1371
	CA	16	1.884	37	1394	1673
	CA	14	2.343	37	1734	2081
	CA	0.083	2.586	37	1914	2296
	CA	13	2.797	37	2070	2484
	CA	0.120	3.691	37	2731	3278
	3 1/4"	CA	18	1.675	24	804
CA		0.065	2.2111	24	1061	1274
3 1/2"	CA	0.065	2.385	24	1145	1374
4"	CA	0.065	2.732	24	1311	1574
	CA	0.120	4.97	10	994	1193
4 1/2"	CA/WY	0.065	3.079	10	616	739
5"	CA	0.188	INQUIRE			
	CA	0.250				
	CA	0.313				
	CA	0.375				
	CA	0.500				
6"	CA	0.188	INQUIRE			
	CA	0.250				
	CA	0.313				
	CA	0.375				
	CA	0.500				