

| SIZE | MILL | WALL THICKNESS | LBS./FT. | 20 FT. | | | 24 FT. | | |
|---------------|-------|----------------|----------|-----------|----------------|---------|-----------|----------------|---------|
| | | | | # OF PCS. | FT. PER BUNDLE | LBS/BDL | # OF PCS. | FT. PER BUNDLE | LBS/BDL |
| 1/2" X 1" | CA/WY | 20 | 0.340 | 150 | 3000 | 1020 | 150 | 3600 | 1224 |
| | CA/WY | 18 | 0.457 | 150 | 3000 | 1371 | 150 | 3600 | 1645 |
| | CA/WY | 16 | 0.552 | 150 | 3000 | 1656 | 150 | 3600 | 1987 |
| 1/2" X 1 1/4" | CA | 18 | 0.539 | 150 | 3000 | 1617 | 150 | 3600 | 1940 |
| | CA | 16 | 0.642 | 150 | 3000 | 1926 | 150 | 3600 | 2311 |
| 1/2" X 1 1/2" | CA | 18 | 0.629 | 150 | 3000 | 1887 | 150 | 3600 | 2264 |
| | CA | 16 | 0.763 | 150 | 3000 | 2289 | 150 | 3600 | 2747 |
| | CA | 14 | 0.941 | 150 | 3000 | 2823 | 150 | 3600 | 3388 |
| 1/2" X 2" | CA | 16 | 0.981 | 96 | 1920 | 1884 | 96 | 2304 | 2260 |
| 3/4" X 1 1/2" | CA/WY | 18 | 0.742 | 70 | 1400 | 1039 | 70 | 1680 | 1247 |
| | CA/WY | 16 | 0.879 | 70 | 1400 | 1231 | 70 | 1680 | 1477 |
| | CA/WY | 14 | 1.087 | 70 | 1400 | 1522 | 70 | 1680 | 1826 |
| | CA/WY | 0.083 | 1.196 | 70 | 1400 | 1674 | 70 | 1680 | 2009 |
| 1" X 1 1/2" | CA/WY | 19 | 0.690 | 96 | 1920 | 1325 | 96 | 2304 | 1590 |
| | CA/WY | 18 | 0.807 | 96 | 1920 | 1549 | 96 | 2304 | 1859 |
| | CA/WY | 16 | 0.981 | 96 | 1920 | 1884 | 96 | 2304 | 2260 |
| | CA/WY | 14 | 1.214 | 96 | 1920 | 2331 | 96 | 2304 | 2797 |
| | CA/WY | 0.083 | 1.337 | 96 | 1920 | 2567 | 96 | 2304 | 3080 |
| | CA/WY | 13 | 1.443 | 96 | 1920 | 2771 | 96 | 2304 | 3325 |
| | CA/WY | 0.120 | 1.844 | 96 | 1920 | 3540 | 96 | 2304 | 4249 |
| 1" X 2" | CA/WY | 19 | 0.833 | 64 | 1280 | 1066 | 64 | 1536 | 1279 |
| | CA/WY | 18 | 0.956 | 64 | 1280 | 1224 | 64 | 1536 | 1468 |
| | CA/WY | 16 | 1.163 | 64 | 1280 | 1489 | 64 | 1536 | 1786 |
| | CA/WY | 14 | 1.442 | 64 | 1280 | 1846 | 64 | 1536 | 2215 |
| | CA/WY | 0.083 | 1.589 | 64 | 1280 | 2034 | 64 | 1536 | 2441 |
| | CA/WY | 13 | 1.716 | 64 | 1280 | 2196 | 64 | 1536 | 2636 |
| | CA/WY | 0.120 | 2.249 | 64 | 1280 | 2879 | 64 | 1536 | 3454 |

Continued on next page →

| SIZE | MILL | WALL THICKNESS | LBS./FT. | 20 FT. | | | 24 FT. | | |
|-----------|-------|----------------|----------|-----------|----------------|---------|-----------|----------------|---------|
| | | | | # OF PCS. | FT. PER BUNDLE | LBS/BDL | # OF PCS. | FT. PER BUNDLE | LBS/BDL |
| 1" X 3" | CA/WY | 16 | 1.564 | 48 | 960 | 1501 | 48 | 1152 | 1802 |
| | CA/WY | 14 | 1.942 | 48 | 960 | 1864 | 48 | 1152 | 2237 |
| | CA/WY | 0.083 | 2.143 | 48 | 960 | 2057 | 48 | 1152 | 2469 |
| | CA/WY | 13 | 2.316 | 48 | 960 | 2223 | 48 | 1152 | 2668 |
| | CA/WY | 0.120 | 3.050 | 48 | 960 | 2928 | 48 | 1152 | 3514 |
| 1" X 4" | CA | 16 | 2.005 | 48 | 960 | 1925 | 48 | 1152 | 2310 |
| | CA | 0.083 | 2.697 | 48 | 960 | 2589 | 48 | 1152 | 3107 |
| | CA | 0.120 | 3.760 | 48 | 960 | 3610 | 48 | 1152 | 4332 |
| 1½" X 2" | CA | 16 | 1.379 | 64 | 1280 | 1765 | 64 | 1536 | 2118 |
| | CA | 14 | 1.74 | 64 | 1280 | 2227 | 64 | 1536 | 2673 |
| | CA | 0.083 | 1.882 | 64 | 1280 | 2409 | 64 | 1536 | 2891 |
| | CA | 0.120 | 2.66 | 64 | 1280 | 3405 | 64 | 1536 | 4086 |
| 1½" X 2½" | CA | 16 | 1.564 | 48 | 960 | 1501 | 48 | 1152 | 1802 |
| | CA | 14 | 1.942 | 48 | 960 | 1864 | 48 | 1152 | 2237 |
| | CA | 0.083 | 2.143 | 48 | 960 | 2057 | 48 | 1152 | 2469 |
| | CA | 13 | 2.316 | 48 | 960 | 2223 | 48 | 1152 | 2668 |
| | CA | 0.120 | 3.05 | 48 | 960 | 2928 | 48 | 1152 | 3514 |
| 1½" X 3" | CA/WY | 16 | 1.804 | 48 | 960 | 1732 | 48 | 1152 | 2078 |
| | CA/WY | 14 | 2.228 | 48 | 960 | 2139 | 48 | 1152 | 2567 |
| | CA/WY | 0.083 | 2.475 | 48 | 960 | 2376 | 48 | 1152 | 2851 |
| | CA/WY | 0.120 | 3.531 | 48 | 960 | 3390 | 48 | 1152 | 4068 |
| 1½" X 4" | CA | 16 | 2.17 | 24 | 480 | 1041 | 24 | 576 | 1249 |
| | CA | .083 | 2.98 | 24 | 480 | 1430 | 24 | 576 | 1716 |
| | CA | 0.120 | 4.292 | 24 | 480 | 2060 | 24 | 576 | 2472 |

Continued on next page →

| SIZE | MILL | WALL THICKNESS | LBS./FT. | 20 FT. | | | 24 FT. | | |
|-----------------|-------|----------------|----------|-----------|----------------|---------|-----------|----------------|---------|
| | | | | # OF PCS. | FT. PER BUNDLE | LBS/BDL | # OF PCS. | FT. PER BUNDLE | LBS/BDL |
| 2" X 2½" | CA | 16 | 1.911 | 24 | 480 | 917 | 24 | 576 | 1101 |
| | CA | 14 | 2.237 | 24 | 480 | 1074 | 24 | 576 | 1288 |
| | CA | 0.083 | 2.4167 | 24 | 480 | 1160 | 24 | 576 | 1392 |
| | CA | 13 | 2.663 | 24 | 480 | 1278 | 24 | 576 | 1534 |
| | CA | 0.120 | 3.531 | 24 | 480 | 1695 | 24 | 576 | 2034 |
| 3" X 2" | CA/WY | 16 | 2.005 | 42 | 840 | 1203 | 42 | 1008 | 1444 |
| | CA/WY | 14 | 2.474 | 30 | 600 | 1484 | 30 | 720 | 1781 |
| | CA/WY | 0.083 | 2.697 | 30 | 600 | 1618 | 30 | 720 | 1942 |
| | CA/WY | 13 | 2.950 | 30 | 600 | 1770 | 30 | 720 | 2124 |
| | CA/WY | 0.120 | 3.760 | 30 | 600 | 2256 | 30 | 720 | 2707 |
| 4" X 2" | CA/WY | 16 | 2.399 | 25 | 500 | 1200 | 25 | 600 | 1439 |
| | CA/WY | 0.083 | 3.251 | 25 | 500 | 1626 | 25 | 600 | 1951 |
| | CA/WY | 0.120 | 4.570 | 25 | 500 | 2285 | 25 | 600 | 2742 |
| HOUSE SHAPE | CA | 16 | 1.403 | 100 | 2000 | 2806 | 100 | 2400 | 3367 |
| .670" X 1.33" | CA | 16 | 0.642 | 150 | 3000 | 1926 | 150 | 3600 | 2311 |
| .844" X 1.844" | CA | 16 | 1.059 | 96 | 1920 | 2033 | 96 | 2304 | 2440 |
| 1.000" X 1.785" | CA | 18 | 0.759 | 96 | 1920 | 1457 | 96 | 2304 | 1749 |
| 1.180" X 2.360" | CA | 14 | 1.442 | 70 | 1400 | 2019 | 70 | 1680 | 2423 |
| 1.5" CAP RAIL | CA | 14 | 1.166 | 60 | 1200 | 1399 | 60 | 1440 | 1679 |