

RECTANGLES

SIZE	MFD IN	WALL THICKNESS	LBS./FT.	20'			24'			40'			48'			60'		
				NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.
1 x 1-1/2	CA/WY	0.120	1.844	64	1280	2360	64	1536	2832	—	—	—	—	—	—	—	—	—
1 x 2	CA/WY	0.083	1.589	64	1280	2034	64	1536	2441	—	—	—	—	—	—	—	—	—
	CA/WY	0.120	2.249	64	1280	2879	64	1536	3454	—	—	—	—	—	—	—	—	—
	CA/WY	0.125	2.334	64	1280	2988	64	1536	3585	—	—	—	—	—	—	—	—	—
	WY	0.188	3.100	36	720	2232	36	864	2678	—	—	—	—	—	—	—	—	—
1 x 3	CA/WY	0.083	2.143	48	960	2057	48	1152	2469	—	—	—	—	—	—	—	—	—
	CA/WY	0.120	3.050	48	960	2928	48	1152	3514	48	1920	5856	—	—	—	—	—	—
	WY	0.188	4.310	48	960	4138	48	1152	4965	48	1920	8275	—	—	—	—	—	—
1-1/2 x 2-1/2	CA/WY	0.120	2.940	48	960	2822	48	1152	3387	48	1920	5645	—	—	—	—	—	—
	WY	0.150	3.780	48	960	3629	48	1152	4355	—	—	—	—	—	—	—	—	—
	WY	0.188	4.310	48	960	4138	48	1152	4965	48	1920	8083	—	—	—	—	—	—
	WY	0.250	5.400	48	960	5184	48	1152	6221	48	1920	2074	—	—	—	—	—	—
1-1/2 x 3	CA/WY	0.083	2.475	48	960	2376	48	1152	2851	—	—	—	—	—	—	—	—	—
	CA/WY	0.120	3.531	48	960	3390	48	1152	4068	48	1920	6780	—	—	—	—	—	—
	CA/WY	0.125	3.682	48	960	3535	48	1152	4242	48	1920	7069	—	—	—	—	—	—
	CA/WY	0.134	3.856	48	960	3702	48	1152	4442	48	1920	7404	—	—	—	—	—	—
	CA/WY	0.188	4.960	15	300	1488	15	360	1786	15	600	2976	—	—	—	—	—	—
	CA/WY	0.250	6.258	15	300	1877	15	360	2253	15	600	3755	—	—	—	—	—	—
1-1/2 x 4	CA/WY	0.120	4.292	24	480	2060	24	576	2472	24	960	4120	—	—	—	—	—	—
	CA	0.188	6.543	24	480	3141	24	576	3769	24	960	6281	—	—	—	—	—	—
3 x 2	CA/WY	0.083	2.700	42	840	2268	42	1008	2722	30	1200	3240	30	1440	3888	—	—	—
	CA/WY	0.120	3.760	42	840	3158	42	1008	3790	30	1200	4512	30	1440	5414	—	—	—
	CA/WY	0.188	5.590	36	720	4025	36	864	4830	24	960	5366	24	1152	6440	—	—	—
	CA/WY	0.250	7.110	30	600	4266	25	600	4266	20	800	5688	20	960	6826	—	—	—



RECTANGLES

SIZE	MFD IN	WALL THICKNESS	LBS./FT.	20'			24'			40'			48'			60'		
				NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.
3-1/2 x 2-1/2	WY	0.120	4.570	25	500	2285	25	600	2742	15	600	2742	15	720	3290	—	—	—
	WY	0.125	4.750	25	500	2375	25	600	2850	15	600	2850	15	720	3420	—	—	—
	WY	0.188	6.901	25	500	3451	25	600	4141	15	600	4141	15	720	4969	—	—	—
	WY	0.250	8.800	25	500	4400	25	600	5280	15	600	5280	15	720	6336	—	—	—
4 x 2	CA/WY	0.083	3.260	9	180	587	9	216	704	9	360	1174	9	432	1408	—	—	—
	CA/WY	0.120	4.570	9	180	823	9	216	987	9	360	1645	9	432	1974	—	—	—
	CA/WY	0.188	6.860	9	180	1235	9	216	1482	9	360	2470	9	432	2964	—	—	—
	CA/WY	0.250	8.800	9	180	1584	9	216	1901	9	360	3168	9	432	3802	—	—	—
	CA	0.313	10.590	9	180	1906	9	216	2287	9	360	3812	9	432	4575	—	—	—
	CA	0.375	12.170	9	180	2191	9	216	2629	9	360	4381	9	432	5257	—	—	—
4 x 3	CA/WY	0.120	5.390	30	600	3234	30	720	3881	24	960	5174	24	1152	6209	—	—	—
	CA/WY	0.188	8.140	24	480	3907	24	576	4689	18	720	5861	18	864	7033	—	—	—
	CA/WY	0.250	10.500	16	320	3360	16	384	4032	12	480	5040	12	576	6048	—	—	—
	CA/WY	0.313	12.700	16	320	4064	16	384	4877	12	480	6096	12	576	7315	—	—	—
	CA	0.375	14.710	16	320	4707	16	384	5649	12	480	7061	12	576	8473	—	—	—
5 x 2	CA/WY	0.120	5.390	24	480	2587	24	576	3105	12	480	2587	12	576	3105	—	—	—
	CA/WY	0.188	8.140	24	480	3907	24	576	4689	12	480	3907	12	576	4689	—	—	—
	CA/WY	0.250	10.500	16	320	3360	16	384	4032	10	400	4200	10	480	5040	—	—	—
5 x 3	CA/WY	0.120	6.210	25	500	3105	25	600	3726	25	1000	6210	25	1200	7452	25	1500	9315
	CA/WY	0.125	6.460	25	500	3230	25	600	3876	25	1000	6460	25	1200	7752	25	1500	9690
	CA/WY	0.188	9.420	16	320	3014	16	384	3617	16	640	6029	16	768	7235	16	960	9043
	CA/WY	0.250	12.210	12	240	2930	12	288	3516	12	480	5861	12	576	7033	12	720	8791
	CA/WY	0.313	14.830	9	180	2669	9	216	3203	9	360	5339	9	432	6407	9	540	8008
	CA/WY	0.375	17.270	6	120	2072	6	144	2487	6	240	4145	6	288	4974	6	360	6217
	CA/WY	0.500	21.630	4	80	1730	4	96	2076	4	160	3461	4	192	4153	4	240	5191



RECTANGLES

SIZE	MFD IN	WALL THICKNESS	LBS./FT.	20'			24'			40'			48'			60'		
				NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.
5 x 4	WY	0.188	10.700	9	180	1926	9	216	2311	9	360	3852	9	432	4622	9	540	5778
	WY	0.250	13.910	9	180	2504	9	216	3005	9	360	5008	9	432	6009	9	540	7511
	WY	0.375	19.820	6	120	2378	6	144	2854	6	240	4757	6	288	5708	6	360	7135
	WY	0.500	25.030	6	120	3004	6	144	3604	6	240	6007	6	288	7209	6	360	9011
6 x 2	CA/WY	0.083	4.359	24	480	2092	24	576	2511	12	480	2092	—	—	—	—	—	—
	CA/WY	0.120	6.210	24	480	2981	24	576	3577	12	480	2981	12	576	3577	12	720	4471
	CA/WY	0.188	9.420	24	480	4522	24	576	5426	12	480	4522	12	576	5426	12	720	6782
	CA/WY	0.250	12.200	16	320	3904	16	384	4685	10	400	4880	10	480	5856	10	600	7320
	CA/WY	0.313	14.830	16	320	4746	16	384	5695	10	400	5932	10	480	7118	10	600	8898
	CA/WY	0.375	17.270	9	180	3109	9	216	3730	9	360	6217	9	432	7461	9	540	9326
6 x 3	CA/WY	0.120	7.020	15	300	2106	15	360	2527	15	600	4212	15	720	5054	15	900	6318
	CA/WY	0.125	7.310	15	300	2193	15	360	2632	15	600	4386	15	720	5263	15	900	6579
	CA/WY	0.188	10.700	12	240	2568	12	288	3082	12	480	5136	12	576	6163	12	720	7704
	CA/WY	0.250	13.910	9	180	2504	9	216	3005	9	360	5008	9	432	6009	9	540	7511
	CA/WY	0.313	16.960	6	120	2035	6	144	2442	6	240	4070	6	288	4884	6	360	6106
	CA/WY	0.375	19.820	6	120	2378	6	144	2854	6	240	4757	6	288	5708	6	360	7135
	CA/WY	0.500	25.030	6	120	3004	6	144	3604	6	240	6007	6	288	7209	6	360	9011
6 x 4	CA/WY	0.120	7.830	12	240	1879	12	288	2255	12	480	3758	12	576	4510	12	720	5638
	CA/WY	0.125	8.160	12	240	1958	12	288	2350	12	480	3917	12	576	4700	12	720	5875
	CA/WY	0.134	8.890	12	240	2134	12	288	2560	12	480	4267	12	576	5121	12	720	6401
	CA/WY	0.188	11.970	12	240	2873	12	288	3447	12	480	5746	12	576	6895	12	720	8618
	CA/WY	0.250	15.620	9	180	2812	9	216	3374	9	360	5623	9	432	6748	9	540	8435
	CA/WY	0.313	19.080	6	120	2290	6	144	2748	6	240	4579	6	288	5495	6	360	6869
	CA/WY	0.375	22.340	6	120	2681	6	144	3217	6	240	5362	6	288	6434	6	360	8042
	CA/WY	0.500	28.430	4	80	2274	4	96	2729	4	160	4549	4	192	5459	4	240	6823



RECTANGLES

SIZE	MFD IN	WALL THICKNESS	LBS./FT.	20'			24'			40'			48'			60'		
				NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.
6 x 5	WY	0.125	8.695	9	180	1565	9	216	1878	9	360	3130	9	432	3756	9	540	4695
	WY	0.188	13.250	9	180	2385	9	216	2862	9	360	4770	9	432	5724	9	540	7155
	WY	0.250	17.320	9	180	3118	9	216	3741	9	360	6235	9	432	7482	9	540	9353
	WY	0.313	21.210	6	120	2545	6	144	3054	6	240	5090	6	288	6108	6	360	7636
	WY	0.375	24.930	6	120	2992	6	144	3590	6	240	5983	6	288	7180	6	360	8975
	WY	0.500	31.810	4	80	2545	4	96	3054	4	160	5090	4	192	6108	4	240	7634
7 x 3	WY	0.120	7.830	9	180	1409	9	216	1691	9	360	2819	9	432	3383	9	540	4228
	WY	0.188	11.970	9	180	2155	9	216	2586	9	360	4309	9	432	5171	9	540	6464
	WY	0.250	15.620	9	180	2812	9	216	3374	9	360	5623	9	432	6748	9	540	8435
	WY	0.313	19.080	9	180	3434	6	144	2748	6	240	4579	6	288	5495	6	360	6869
	WY	0.375	22.370	6	120	2684	6	144	3221	6	240	5369	6	288	6443	6	360	8053
	WY	0.500	28.430	4	80	2274	4	96	2729	4	160	4549	4	192	5459	4	240	6823
7 x 4	WY	0.125	9.127	9	180	1643	9	216	1971	9	360	3286	9	432	3943	9	540	4929
	WY	0.188	13.250	9	180	2385	9	216	2862	9	360	4770	9	432	5724	9	540	7155
	WY	0.250	17.320	9	180	3118	9	216	3741	9	360	6235	9	432	7482	9	540	9353
	WY	0.313	21.220	9	180	3820	6	144	3056	6	240	5093	6	288	6111	6	360	7639
	WY	0.375	24.930	6	120	2992	6	144	3590	6	240	5983	6	288	7180	6	360	8975
	WY	0.500	31.810	4	80	2545	4	96	3054	4	160	5090	4	192	6108	4	240	7634
7 x 5	CA/WY	0.120	9.480	9	180	1706	9	216	2048	9	360	3413	9	432	4095	9	540	5119
	CA/WY	0.188	14.530	9	180	2615	9	216	3138	9	360	5231	9	432	6277	9	540	7846
	CA/WY	0.250	19.020	9	180	3424	9	216	4108	9	360	6847	9	432	8217	9	540	10271
	CA/WY	0.313	23.320	6	120	2798	6	144	3358	6	240	5597	6	288	6716	6	360	8395
	CA/WY	0.375	27.480	6	120	3298	6	144	3957	6	240	6595	6	288	7914	6	360	9893
	CA/WY	0.500	35.240	4	80	2819	4	96	3383	4	160	5638	4	192	6766	4	240	8458



RECTANGLES

SIZE	MFD IN	WALL THICKNESS	LBS./FT.	20'			24'			40'			48'			60'		
				NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.
8 x 2	CA	0.083	5.470	10	200	1094	10	240	1313	10	400	2188	10	480	2626	—	—	—
	CA	0.120	7.830	10	200	1566	10	240	1879	10	400	3132	10	480	3758	—	—	—
	CA	0.188	12.000	10	200	2400	10	240	2880	10	400	4800	10	480	5760	—	—	—
	CA	0.250	15.620	8	160	2499	8	192	2999	8	320	4998	8	384	5998	—	—	—
	CA	0.313	19.100	6	120	2292	6	144	2750	6	240	4584	6	288	5501	—	—	—
8 x 3	WY	0.125	9.010	10	200	1802	10	240	2162	10	400	3604	10	480	4325	10	600	5406
	WY	0.188	13.300	10	200	2660	10	240	3192	10	400	5320	10	480	6384	10	600	7980
	WY	0.250	17.320	8	160	2771	8	192	3325	8	320	5542	8	384	6651	8	480	8314
	WY	0.313	21.220	8	160	3395	8	192	4074	8	320	6790	8	384	8148	8	480	10186
	WY	0.375	24.930	8	160	3989	8	192	4787	8	320	7978	8	384	9573	8	480	11966
	WY	0.500	31.810	4	80	2545	4	96	3054	4	160	5090	4	192	6108	4	240	7634
8 x 4	CA/WY	0.120	9.480	8	160	1517	8	192	1820	8	320	3034	8	384	3640	8	480	4550
	CA/WY	0.125	9.860	8	160	1578	8	192	1893	8	320	3155	8	384	3786	8	480	4733
	CA/WY	0.188	14.530	8	160	2325	8	192	2790	8	320	4650	8	384	5580	8	480	6974
	CA/WY	0.250	19.020	8	160	3043	8	192	3652	8	320	6086	8	384	7304	8	480	9130
	CA/WY	0.313	23.320	6	120	2798	6	144	3358	6	240	5597	6	288	6716	6	360	8395
	CA/WY	0.375	27.480	4	80	2198	4	96	2638	4	160	4397	4	192	5276	4	240	6595
	CA/WY	0.500	35.240	4	80	2819	4	96	3383	4	160	5638	4	192	6766	4	240	8458
8 x 5	WY	0.125	10.709	6	120	1285	6	144	1542	6	240	2570	6	288	3084	6	360	3855
	WY	0.188	15.800	6	120	1896	6	144	2275	6	240	3792	6	288	4550	6	360	5688
	WY	0.250	20.720	6	120	2486	6	144	2984	6	240	4973	6	288	5967	6	360	7459
	WY	0.313	26.306	6	120	3157	6	144	3788	6	240	6313	6	288	7576	6	360	9470
	WY	0.375	31.201	4	80	2496	4	96	2995	4	160	4992	4	192	5991	4	240	7488
	WY	0.501	40.752	4	80	3260	4	96	3912	4	160	6520	4	192	7824	4	240	9780



RECTANGLES

SIZE	MFD IN	WALL THICKNESS	LBS./FT.	20'			24'			40'			48'			60'		
				NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.
8 x 6	WY	0.125	11.540	6	120	1385	6	144	1662	6	240	2770	4	192	2216	6	360	4154
	WY	0.188	17.080	6	120	2050	6	144	2460	6	240	4099	6	288	4919	6	360	6149
	WY	0.250	22.420	6	120	2690	6	144	3228	6	240	5381	6	288	6457	6	360	8071
	WY	0.313	27.590	6	120	3311	6	144	3973	6	240	6622	6	288	7946	4	240	6622
	WY	0.375	32.580	4	80	2606	4	96	3128	4	160	5213	4	192	6255	4	240	7819
	WY	0.500	42.050	4	80	3364	4	96	4037	4	160	6728	4	192	8074	2	120	5046
9 x 7	WY	0.188	19.630	6	120	2356	6	144	2827	6	240	4711	6	288	5653	4	240	4711
	WY	0.250	26.319	6	120	3158	6	144	3790	6	240	6317	6	288	7580	4	240	6317
	WY	0.313	31.840	4	80	2547	4	96	3057	4	160	5094	4	192	6113	4	240	7642
	WY	0.375	37.690	4	80	3015	4	96	3618	4	160	6030	4	192	7236	4	240	9046
	WY	0.500	48.850	4	80	3908	4	96	4690	4	160	7816	4	192	9379	2	120	5862
10 x 3	WY	0.188	15.800	6	120	1896	6	144	2275	6	240	3792	6	288	4550	6	360	5688
	WY	0.250	20.720	6	120	2486	6	144	2984	6	240	4973	6	288	5967	6	360	7459
	WY	0.313	26.306	4	80	2104	4	96	2525	4	160	4209	4	192	5051	4	240	6313
	WY	0.375	31.201	4	80	2496	4	96	2995	4	160	4992	4	192	5991	4	240	7488
	WY	0.500	40.752	4	80	3260	4	96	3912	4	160	6520	4	192	7824	4	240	9780
10 x 4	WY	0.188	17.080	8	160	2733	8	192	3279	8	320	5466	8	384	6559	4	240	4099
	WY	0.250	22.420	6	120	2690	6	144	3228	6	240	5381	6	288	6457	4	240	5381
	WY	0.313	27.590	6	120	3311	6	144	3973	6	240	6622	6	288	7946	4	240	6622
	WY	0.375	32.580	4	80	2606	4	96	3128	4	160	5213	4	192	6255	4	240	7819
	WY	0.500	42.050	4	80	3364	4	96	4037	4	160	6728	4	192	8074	2	120	5046



RECTANGLES

SIZE	MFD IN	WALL THICKNESS	LBS./FT.	20'			24'			40'			48'			60'		
				NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.
10 x 6	WY	0.188	19.630	6	120	2356	6	144	2827	6	240	4711	6	288	5653	4	240	4711
	WY	0.250	25.820	6	120	3098	6	144	3718	6	240	6197	6	288	7436	4	240	6197
	WY	0.313	31.840	4	80	2547	4	96	3057	4	160	5094	4	192	6113	4	240	7642
	WY	0.375	37.690	4	80	3015	4	96	3618	4	160	6030	4	192	7236	4	240	9046
	WY	0.500	48.850	4	80	3908	4	96	4690	4	160	7816	4	192	9379	2	120	5862
10 x 8	WY	0.188	22.180	4	80	1774	4	96	2129	4	160	3549	4	192	4259	4	240	5323
	WY	0.250	29.230	4	80	2338	4	96	2806	4	160	4677	4	192	5612	4	240	7015
	WY	0.313	36.100	4	80	2888	4	96	3466	4	160	5776	4	192	6931	4	240	8664
	WY	0.375	42.790	4	80	3423	4	96	4108	4	160	6846	4	192	8216	4	240	10270
	WY	0.500	55.660	4	80	4453	4	96	5343	4	160	8906	4	192	10687	4	240	13358
12 x 4	WY	0.188	19.630	4	80	1570	4	96	1884	4	160	3141	4	192	3769	4	240	4711
	WY	0.250	25.820	4	80	2066	4	96	2479	4	160	4131	4	192	4957	4	240	6197
	WY	0.313	31.840	4	80	2547	4	96	3057	4	160	5094	4	192	6113	4	240	7642
	WY	0.375	37.690	4	80	3015	4	96	3618	4	160	6030	4	192	7236	4	240	9046
	WY	0.500	48.850	4	80	3908	4	96	4690	4	160	7816	4	192	9379	2	120	5862
12 x 6	WY	0.188	22.180	4	80	1774	4	96	2129	4	160	3549	4	192	4259	4	240	5323
	WY	0.250	29.230	4	80	2338	4	96	2806	4	160	4677	4	192	5612	4	240	7015
	WY	0.313	36.100	4	80	2888	4	96	3466	4	160	5776	4	192	6931	4	240	8664
	WY	0.375	42.790	4	80	3423	4	96	4108	4	160	6846	4	192	8216	4	240	10270
	WY	0.500	55.660	4	80	4453	4	96	5343	4	160	8906	4	192	10687	4	240	13358
12 x 8	WY	0.188	24.730	6	120	2968	6	144	3561	6	240	5935	6	288	7122	4	240	5935
	WY	0.250	32.630	4	80	2610	4	96	3132	4	160	5221	4	192	6265	4	240	7831
	WY	0.313	40.350	4	80	3228	4	96	3874	4	160	6456	4	192	7747	4	240	9684
	WY	0.375	47.900	4	80	3832	4	96	4598	4	160	7664	4	192	9197	2	120	5748
	WY	0.500	62.460	2	40	2498	2	48	2998	2	80	4997	2	96	5996	2	120	7495

