

ROUNDS

ROUND SIZE	MANUFACTURED IN	WALL THICKNESS	LBS./FT.	NO. OF PCS.	20'	24'
					LBS./BDL.	LBS./BDL.
1-1/2"	CA/WY	0.083	1.256	91	2286	2743
	CA/WY	0.120	1.769	91	3220	3863
	WY	0.188	2.640	44	2323	2788
	WY	0.250	3.334	44	2934	3521
2"	CA/WY	0.083	1.699	91	3092	3711
	CA/WY	0.120	2.409	91	4384	5261
	WY	0.188	3.634	37	2689	3227
	WY	0.250	4.668	37	3454	4145
2-1/2"	CA/WY	0.083	2.143	44	1886	2263
	CA/WY	0.120	3.051	44	2685	3222
	WY	0.188	4.634	44	4078	4894
	WY	0.250	6.001	44	5281	6337
3"	CA/WY	0.083	2.586	37	1914	2296
	CA/WY	0.120	3.691	37	2731	3278
	CA/WY	0.188	5.650	37	4181	5017
	CA/WY	0.250	7.335	37	5428	6513
3-1/2"	CA/WY	0.083	3.029	19	1151	1381
	CA/WY	0.120	4.330	19	1645	1974
	CA/WY	0.188	6.660	19	2531	3037
	CA/WY	0.250	8.678	19	3298	3957



ROUNDS

ROUND SIZE	MANUFACTURED IN	WALL THICKNESS	LBS./FT.	NO. OF PCS.	20'	24'
					LBS./BDL.	LBS./BDL.
4"	CA/WY	0.083	3.469	10	694	833
	CA/WY	0.120	4.970	10	994	1193
	CA/WY	0.188	7.660	10	1532	1838
	CA/WY	0.250	10.020	10	2004	2405
4-1/2"	CA/WY	0.083	3.915	10	783	940
	CA/WY	0.120	4.970	10	994	1193
	CA/WY	0.188	8.666	10	1733	2080
	CA/WY	0.250	11.358	10	2272	2726
	CA	0.313	13.982	10	2796	3356
	CA	0.375	16.504	10	3301	3961
	CA	0.500	21.338	10	4268	5121
5"	CA/WY	0.083	4.354	10	871	1045
	CA/WY	0.120	6.260	10	1252	1502
	CA/WY	0.188	9.670	10	1934	2321
	CA/WY	0.250	12.694	10	2539	3047
	CA	0.313	15.680	10	3136	3763
	CA	0.375	18.540	10	3708	4450
	CA	0.500	24.050	10	4810	5772



ROUNDS

ROUND SIZE	MANUFACTURED IN	WALL THICKNESS	LBS./FT.	NO. OF PCS.	20'	24'
					LBS./BDL.	LBS./BDL.
6"	CA	0.083	5.240	7	734	880
	CA	0.120	7.528	7	1054	1265
	CA	0.188	11.690	7	1637	1964
	CA	0.250	15.367	7	2151	2582
	CA	0.313	19.030	7	2664	3197
	CA	0.375	22.550	7	3157	3788
	CA	0.500	29.400	7	4116	4939
8"	WY	0.109	9.177	7	1285	1542
	WY	0.120	10.089	7	1412	1695
	WY	0.188	15.690	7	2197	2636
	WY	0.250	20.671	7	2894	3473
	WY	0.313	25.670	7	3594	4313
	WY	0.375	30.507	7	4271	5125
	WY	0.500	40.009	7	5601	6722

