

SQUARES

SIZE	MFD IN	WALL THICKNESS	LBS./FT.	20'			24'			40'			48'			60'		
				NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.
1-1/4 x 1-1/4	CA/WY	0.083	1.3370	100	2000	2674	100	2400	3209	—	—	—	—	—	—	—	—	—
	CA/WY	0.120	1.844	100	2000	3688	100	2400	4416	—	—	—	—	—	—	—	—	—
	CA/WY	0.134	1.88	49	980	1842	49	1176	2210	—	—	—	—	—	—	—	—	—
	WY	0.188	2.410	49	980	2362	49	1176	2834	—	—	—	—	—	—	—	—	—
1-1/2 x 1-1/2	CA/WY	0.083	1.589	64	1280	2034	64	1536	2441	64	2560	4068	—	—	—	—	—	—
	CA/WY	0.120	2.249	64	1280	2879	64	1536	3454	64	2560	5757	—	—	—	—	—	—
	CA/WY	0.188	3.10	49	980	3038	49	1176	3645	49	1960	6076	—	—	—	—	—	—
	CA	0.250	4.247	49	980	4162	49	1176	4995	—	—	—	—	—	—	—	—	—
2 x 2	CA/WY	0.083	2.143	64	1280	2743	64	1536	3291	36	1440	3085	36	1728	3703	—	—	—
	CA/WY	0.109	2.803	56	1120	3139	56	1344	3767	36	1440	4036	36	1728	4844	—	—	—
	CA/WY	0.120	2.94	56	1120	3292	56	1344	3951	36	1440	4233	36	1728	5080	—	—	—
	CA/WY	0.134	3.401	36	720	2449	36	864	2938	36	1440	4897	36	1728	5877	—	—	—
	CA/WY	0.148	3.54	36	720	2548	36	864	3059	36	1440	5098	36	1728	6117	—	—	—
	CA/WY	0.188	4.31	36	720	3103	36	864	3723	25	1000	4310	25	1200	5172	—	—	—
	CA/WY	0.250	5.40	36	720	3888	36	864	4665	25	1000	5400	25	1200	6480	—	—	—
2-1/2 x 2-1/2	CA/WY	0.083	2.70	36	720	1944	36	864	2333	36	1440	3888	36	1728	4666	—	—	—
	CA/WY	0.120	3.76	36	720	2707	36	864	3249	25	1000	3760	25	1200	4512	—	—	—
	CA/WY	0.188	5.59	25	500	2795	25	600	3354	15	600	3354	15	720	4025	—	—	—
	CA/WY	0.250	7.11	25	500	3555	25	600	4266	15	600	4266	15	720	5119	—	—	—
2.530" F/C	CA	0.238	7.11	15	300	2133	15	360	2560	—	—	—	—	—	—	—	—	



A500 B/C, A1085, CSA G40.21 HSS SQUARES



SIZE	MFD IN	WALL THICKNESS	LBS./FT.	20'			24'			40'			48'			60'		
				NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.
3 x 3	CA/WY	0.083	3.26	36	720	2347	36	864	2817	25	1000	3260	25	1200	3912	—	—	—
	CA/WY	0.120	4.57	36	720	3290	36	864	3948	25	1000	4570	25	1200	5484	—	—	—
	CA/WY	0.134	5.223	25	500	2612	25	600	3134	25	1000	5223	25	1200	6268	—	—	—
	CA/WY	0.188	6.86	25	500	3430	25	600	4116	15	600	4116	15	720	4939	—	—	—
	CA/WY	0.250	8.80	25	500	4400	25	600	5280	12	480	4224	12	576	5069	—	—	—
	CA	0.313	10.58	15	300	3174	15	360	3809	15	600	6348	15	720	7618	—	—	—
	CA	0.375	12.17	15	300	3651	15	360	4381	15	600	7302	15	720	8762	—	—	—
3-1/2 x 3-1/2	CA/WY	0.083	3.758	30	600	2255	30	720	2706	30	1200	4510	30	1440	5412	—	—	—
	CA/WY	0.12	5.39	30	600	3234	30	720	3881	25	1000	5390	25	1200	6468	—	—	—
	CA/WY	0.188	8.14	25	500	4070	25	600	4884	16	640	5210	16	768	6252	—	—	—
	CA/WY	0.250	10.5	16	320	3360	16	384	4032	12	480	5040	12	576	6048	—	—	—
4 x 4	CA/WY	0.083	4.359	30	600	2615	30	720	3138	25	1000	4359	30	1440	6277	—	—	—
	CA/WY	0.109	5.68	30	600	3408	30	720	4090	30	1200	6816	30	1440	8179	—	—	—
	CA/WY	0.120	6.21	30	600	3726	30	720	4471	25	1000	6210	25	1200	7452	25	1500	9315
	CA/WY	0.125	6.46	25	500	3230	25	600	3876	25	1000	6460	25	1200	7752	25	1500	9690
	CA/WY	0.188	9.42	25	500	4710	25	600	5652	16	640	6029	16	768	7235	15	960	9043
	CA/WY	0.250	12.21	16	320	3907	16	384	4689	12	480	5861	12	576	7033	12	720	8791
	CA/WY	0.313	14.83	9	180	2669	9	216	3203	9	360	5339	9	432	6407	9	640	9491
	CA/WY	0.375	17.27	6	120	2072	6	144	2487	6	240	4145	6	288	4974	6	360	6217
	CA/WY	0.500	21.63	6	120	2596	6	144	3115	6	240	5191	6	288	6229	6	360	7787



CALIFORNIA
8901 Arrow Route | Rancho Cucamonga, CA 91730

WYOMING
5310 Clear Creek Parkway | Cheyenne, WY 82007

WWW.SEARINGINDUSTRIES.COM

A500 B/C, A1085, CSA G40.21 HSS SQUARES



SIZE	MFD IN	WALL THICKNESS	LBS./FT.	20'			24'			40'			48'			60'		
				NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.
4-1/2 x 4-1/2	WY	0.188	10.70	6	120	1284	6	144	1541	6	240	2568	6	288	3082	6	360	3852
	WY	0.250	13.91	6	120	1669	6	144	2003	6	240	3338	6	288	4006	6	360	5008
	WY	0.313	16.96	6	120	2035	6	144	2442	6	240	4070	6	288	4884	6	360	6106
	WY	0.375	19.82	6	120	2378	6	144	2854	6	240	4757	6	288	5708	6	360	7135
	WY	0.500	25.03	6	120	3004	6	144	3604	6	240	6007	6	288	7209	6	360	9011
5 x 5	CA/WY	0.120	7.83	12	240	1879	12	288	2255	12	480	3758	12	576	4510	12	720	5638
	CA/WY	0.125	8.16	12	240	1958	12	288	2350	12	480	3917	12	576	4700	12	720	5875
	CA/WY	0.188	11.97	12	240	2873	9	216	2586	12	480	5746	9	432	5171	9	540	6464
	CA/WY	0.250	15.62	9	180	2812	9	216	3374	9	360	5623	9	432	6748	9	540	8435
	CA/WY	0.313	19.08	6	120	2290	6	144	2748	6	240	4579	6	288	5495	6	360	6869
	CA/WY	0.375	22.37	6	120	2684	6	144	3221	6	240	5369	6	288	6443	6	360	8053
	CA/WY	0.500	28.43	4	80	2274	4	96	2729	4	160	4549	4	192	5459	4	240	6823
6 x 6	CA/WY	0.083	6.62	9	180	1192	9	216	1430	9	360	2383	9	432	2860	9	540	3575
	CA/WY	0.120	9.48	9	180	1706	9	216	2048	9	360	3413	9	432	4095	9	540	5119
	CA/WY	0.125	9.86	9	180	1775	9	216	2130	9	360	3550	9	432	4260	9	540	5324
	CA/WY	0.188	14.55	9	180	2619	9	216	3143	9	360	5238	9	432	6286	9	540	7857
	CA/WY	0.250	19.02	6	120	2282	6	144	2739	6	240	4565	6	288	5478	6	360	6847
	CA/WY	0.313	23.34	6	120	2801	6	144	3361	6	240	5602	6	288	6722	6	360	8402
	CA/WY	0.375	27.48	6	120	3298	6	144	3957	6	240	6595	6	288	7914	6	360	9893
	CA/WY	0.500	35.24	4	80	2819	4	96	3383	4	160	5638	4	192	6766	4	240	8458



CALIFORNIA
8901 Arrow Route | Rancho Cucamonga, CA 91730

WYOMING
5310 Clear Creek Parkway | Cheyenne, WY 82007

WWW.SEARINGINDUSTRIES.COM

A500 B/C, A1085, CSA G40.21 HSS SQUARES



SIZE	MFD IN	WALL THICKNESS	LBS./FT.	20'			24'			40'			48'			60'		
				NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.	NO. OF PCS.	FT. PER BUNDLE	LBS./BDL.
7 x 7	WY	0.125	11.54	6	120	1385	6	144	1662	6	240	2770	6	288	3324	6	360	4154
	WY	0.188	17.08	6	120	2050	6	144	2460	6	240	4099	6	288	4919	6	360	6149
	WY	0.250	22.42	6	120	2690	6	144	3228	6	240	5381	6	288	6457	6	360	8071
	WY	0.313	27.59	6	120	3311	6	144	3973	6	240	6622	6	288	7946	6	360	9932
	WY	0.375	32.58	6	120	3910	6	144	4692	6	240	7819	6	288	9383	6	360	11729
	WY	0.500	42.05	4	80	3364	4	96	4037	4	160	6728	4	192	8074	4	240	10092
8 x 8	WY	0.125	13.27	6	120	1592	6	144	1911	6	240	3185	6	288	3822	6	360	4777
	WY	0.188	19.63	6	120	2356	6	144	2827	6	240	4711	6	288	5653	6	360	7067
	WY	0.250	25.82	6	120	3098	6	144	3718	6	240	6197	6	288	7436	6	360	9295
	WY	.0313	31.84	4	80	2547	4	96	3057	4	160	5094	4	192	6113	4	240	7642
	WY	0.375	37.69	4	80	3015	4	96	3618	4	160	6030	4	192	7236	4	240	9046
	WY	0.500	48.85	4	80	3908	4	96	4690	4	160	7816	4	192	9379	2	120	5862
9 x 9	WY	0.188	22.18	4	80	1774	4	96	2129	4	160	3549	4	192	4259	4	240	5323
	WY	0.250	29.23	4	80	2338	4	96	2806	4	160	4677	4	192	5612	4	240	7015
	WY	0.313	36.10	4	80	2888	4	96	3466	4	160	5776	4	192	6931	4	240	8664
	WY	0.375	42.79	4	80	3423	4	96	4108	4	160	6846	4	192	8216	4	240	10270
	WY	0.500	55.66	4	80	4453	4	96	5343	4	160	8906	4	192	10687	4	240	13358
10 x 10	WY	0.188	24.73	4	80	1978	4	96	2374	4	160	3957	4	192	4748	4	240	5935
	WY	0.250	32.63	4	80	2610	4	96	3132	4	160	5221	4	192	6265	4	240	7831
	WY	0.313	40.35	4	80	3228	4	96	3874	4	160	6456	4	192	7747	4	240	9684
	WY	0.375	47.90	4	80	3832	4	96	4598	4	160	7664	4	192	9197	2	120	5748
	WY	0.500	62.46	2	40	2498	2	48	2998	2	80	4997	2	96	5996	2	120	7495



CALIFORNIA
8901 Arrow Route | Rancho Cucamonga, CA 91730

WYOMING
5310 Clear Creek Parkway | Cheyenne, WY 82007

WWW.SEARINGINDUSTRIES.COM